

LP1

Android POS Terminal





Supports Portrait Mode

LP1 POS Terminal




Features

All aluminum body, stable heat dissipation, 15.6-inch.

The main screen is 15.6 inches, and the secondary screen is available in 15.6 inches or 10.1 inches as an option. 10 points capacitive screen using 2mm tempered glass, anti-scratch, Anti-fingerprint coating on the surface. RK3576 Octa-core NPU supports 6Tops, main frequency at 2.2GHz.

Dimensions



LP1 Specification

LP1				
Screen Specifications	Screen size	Main screen 15.6inch	Secondary screen 10.1 inch	Secondary screen 15.6 inch
	Touch	10 points G+G touch	No touch	No touch
	Aspect ratio	16: 9	16: 10	16: 9
	Resolution	1920*1080	1280*800	1920*1080
	Display area	344.232 * 193.536mm	216.58 * 135.36mm	344.232 * 193.536mm
	Contrast	800: 1	800:1	800:1
	Color	16.7M , 45% NTSC	16.7M	16.7M , 45% NTSC
	View angle	85/85/85/85 (Typ.)(CR≥10)	85/85/85/85 (Typ.)(CR≥10)	85/85/85/85 (Typ.)(CR≥10)
System Specifications	CPU	RK3576 Octa-core (four Cortex-A72 large core + four Cortex-A53 small core)		
	GPU	ARM Mali G52 MC3		
	NPU	Support 6Tops		
	Main frequency	2.2GHz		
	Ram	4GB		
	SSD	64GB		
	I/O ports	1*DC, 5*USB, 1*RJ45,1*RJ11 (Serial Port)		
	Network	LAN: 10M / 100M self-adaption WIFI: 2.4G&5G 802.11 b/g/n/ac/ax Bluetooth: BT5.4		
	OS	Android 14		
	Speaker	Built-in 4Ω 2W		
Complete Unit Specifications	NFC (optional)	Read/ write mode: supports ISO / IEC A&B, FELICA, MEFARE 1K, 4K, NFC Forum types 1,2,3,4,5, ISO/ IEC 15693		
		Single screen	Dual screen	Dual screen
	Input voltage	DC 12V	DC 12V	DC 12V
	Power	11W	15W	15W
	Dimension	367 * 211 * 346mm	367 * 243 * 346mm	367 * 243 * 346mm
	Weigh	4kg	4.7kg	5.2kg
	Material	All aluminum material oxidized, with black ABS cover.		
	Color	Storm gray,		
	Packing size	460mm x 280mm x 470mm (±5mm)		
	Packing material	Gravity carton		
	Operation Environment	Working temperature 0℃ - 45℃ Operation humidity20% - 80%		
	Storage Environment	Storage temperature -10 ℃ - 50℃ Storage humidity20% - 80%		